





# Hafner-Pneumatik

Competence in Valve Automation



[www.namur-valves.com](http://www.namur-valves.com)





When it comes to process automation we offer the largest variety of smart valve-automation components.


Hafner-Pneumatik is the manufacturer of a complete range of high-quality pneumatic control valves, all of them 100 % Made in Europe.

**The product line includes:**


- 3-way and 5-way NAMUR-valves
- Flow regulators
- Block & Block Valves
- Block & Vent Valves
- Short-circuit valves
- Exhaust-air recirculation block
- Pneumo-manual override for positioners
- Valves with fail-in-place function
- Control-blocks for valves with inflatable seal
- Quick-exhaust valves
- Pressure holding valve
- Two-speed valve
- Components made from stainless steel



**„Hafner on the Rocks“**  
Low temperature valves for -50° C



**ATEX Certified Valves**  
Valves for explosion hazardous environment



**„Hafner Heavy Metal“**  
Stainless steel valves made from 316L ( 1.4404)



Cylinder-Valve Combinations  
entirely made from 316L




Many valves are SIL 3 as  
well as EAC certified.



**Hafner valves are designed for challenging environments and applications.**

## Besides the maximum flow of 1.250 NI/min at compact design there are many more competitive advantages of the Hafner 1/4"-NAMUR valves.







For the automation of angle seat valves, Hafner is offering a range of direct acting 3/2-way valves with banjo-screw for easy and quick installation.




Polyamid banjo-valve for Pharmaceutical, Biotech, Food or Chemical industries.



The patented **Hafner NAMUR-flex** valve can either be used as a 5/2-way valve, or by adding the conversion plate as a 3/2-way valve. In the 3/2-way version the exhaust air recirculation is ensured!



Cylinder-valve combination plates to combine NAMUR-valves with linear or scotch-yoke actuators.



Cylinders to automate e.g. knife gate valves. Piston Ø 80-320 mm.

The integrated NAMUR mounting port pattern allows the installation of the NAMUR pilot valve directly to the cylinder.



***Are you interested in our products? Please contact us!***

Hafner-Pneumatik Krämer KG · Stammheimer Straße 10 · D-70806 Kornwestheim · Phone +49 - 71 54 - 17 85 890 · Fax +49 - 71 54 - 17 85 89 28

[www.hafner-pneumatik.com](http://www.hafner-pneumatik.com) · [info@hafner-pneumatik.de](mailto:info@hafner-pneumatik.de)